



CREST


CREST Series

SURFACE-MOUNTED LUMINAIRE

- Round fixture with a microprismatic diffuser is ideal for workstations.
- CREST's innovative technology hides behind its flat and minimalistic design. It integrated multiple installation options and Dimming modes
- The surface mounted and suspended fixture is with loop in & loop out design, installed easily.

1

Installation



Surface mounted




Suspended


2

Easy Installation

Twist and lock design
 Loop in & loop out wiring design




Surface mounted



Suspended

3

Emergency back-up (optional)



4

CCT Switch Selectable


CCT:3000K/3500K/4000K



5

Size options:

Φ300mm, Φ400mm, Φ500mm, Φ600mm





6

UGR<19

 Microprism craftsmanship,
 uniform and soft light.

7

▼ Microwave Sensor +CCT



When the ambient light is sufficient, even if the motion is detected, the lights keep off.



With insufficient ambient light if any motion is detected, all the lights switch on at the same time.




After hold time, the master and slave lights switch off when no new motion trigger.

▼ Master-slave Sensor +CCT

The master lights are with blue sign and slave lights are without blue sign.



If the ambient light is sufficient, even if the motion is detected, the lights keep off.



With insufficient ambient light if any motion is detected by the master lights, all the lights switch on at the same time.



After delay time, the master and slave lights dim to a low light level if no new motion trigger.



After hold time, the master and slave lights switch off if no new motion trigger.



Order options

SYSTEM POWER
26W
COLOUR TEMPERATURE
3000K
3500K
4000K


COLOUR RENDERING INDEX
CRI 90

ELECTRICAL
ON-OFF
DALI
CCT
Bluetooth Dim
Microwave sensor
3H Emergency
Master-Slave sensor

HOUSING
white black

ACCESSORY
Cable Suspension

CREST 400



Light distribution

Order Options							
Surface mounted							
Code	Size	System LM	System W	CRI	CCT	Dimming Type	
CREST400-SM-26W-CCT-F						CCT+ON-OFF	
CREST400-SM-26W-CCT-D						CCT+Dali	
CREST400-SM-26W-CCT-BT		2100Lm			3000K	CCT+Bluetooth	
CREST400-SM-26W-CCT-MW-F						CCT+Microwave sensor	
CREST400-SM-26W-CCT-3H-F	Φ400mm	2200Lm	26W	90	3500K	CCT+3H Emergency+ON-OFF	
CREST400-SM-26W-CCT-3H-D		2300Lm			4000K	CCT+3H Emergencye+Dali	
CREST400-SM-26W-CCT-ML						CCT+Master Slave sensor (Master light)	
CREST400-SM-26W-CCT-SL						CCT+Master Slave sensor (Slave light)	
Suspended							
Code	Size	System LM	System W	CRI	CCT	Dimming Type	
CREST400-SUS-26W-CCT-F						CCT+ON-OFF	
CREST400-SUS-26W-CCT-D						CCT+Dali	
CREST400-SUS-26W-CCT-BT		2100Lm			3000K	CCT+Bluetooth	
CREST400-SUS-26W-CCT-MW-F						CCT+Microwave sensor	
CREST400-SUS-26W-CCT-3H-F	Φ400mm	2200Lm	26W	90	3500K	CCT+3H Emergency+ON-OFF	
CREST400-SUS-26W-CCT-3H-D		2300Lm			4000K	CCT+3H Emergencye+Dali	
CREST400-SUS-26W-CCT-ML						CCT+Master Slave sensor (Master light)	
CREST400-SUS-26W-CCT-SL						CCT+Master Slave sensor (Slave light)	

Order options

SYSTEM POWER
36W
COLOUR TEMPERATURE
3000K
3500K
4000K


COLOUR RENDERING INDEX
CRI 90

ELECTRICAL
ON-OFF
DALI
CCT
Bluetooth Dim
Microwave sensor
3H Emergency
Master-Slave sensor

HOUSING
white black

ACCESSORY
Cable Suspension

CREST 500



Light distribution

Order Options							
Surface mounted							
Code (coming soon)	Size	System LM	System W	CRI	CCT	Dimming Type	
CREST500-SM-36W-CCT-F						CCT+ON-OFF	
CREST500-SM-36W-CCT-D						CCT+Dali	
CREST500-SM-36W-CCT-BT		2750Lm			3000K	CCT+Bluetooth	
CREST500-SM-36W-CCT-MW-F						CCT+Microwave sensor	
CREST500-SM-36W-CCT-3H-F	Φ500mm	2850Lm	36W	90	3500K	CCT+3H Emergency+ON-OFF	
CREST500-SM-36W-CCT-3H-D		2950Lm			4000K	CCT+3H Emergencye+Dali	
CREST500-SM-36W-CCT-ML						CCT+Master Slave sensor (Master light)	
CREST500-SM-36W-CCT-SL						CCT+Master Slave sensor (Slave light)	
Suspended							
Code (coming soon)	Size	System LM	System W	CRI	CCT	Dimming Type	
CREST500-SUS-36W-CCT-F						CCT+ON-OFF	
CREST500-SUS-36W-CCT-D						CCT+Dali	
CREST500-SUS-36W-CCT-BT		2750Lm			3000K	CCT+Bluetooth	
CREST500-SUS-36W-CCT-MW-F						CCT+Microwave sensor	
CREST500-SUS-36W-CCT-3H-F	Φ500mm	2850Lm	36W	90	3500K	CCT+3H Emergency+ON-OFF	
CREST500-SUS-36W-CCT-3H-D		2950Lm			4000K	CCT+3H Emergencye+Dali	
CREST500-SUS-36W-CCT-ML						CCT+Master Slave sensor (Master light)	
CREST500-SUS-36W-CCT-SL						CCT+Master Slave sensor (Slave light)	