





LUCIA & FLATIA


LUCIA & FLATIA

CEILING LIGHTING SYSTEM



- **R**ound aluminum housing ensures the optimal cooling of the LEDs
- Available in standard version and decorative version
- Suitable for ceiling-mounted, wall-mounted, suspended and recessed installation
- 4 diameters for options (350 mm, 450 mm, 600 mm, 900 mm)
- Microprismatic cover for super eye comfort

LUCIA**Decorative Version****Classic Version**


Higher Lumen Output

FLATIA**Decorative Version****Classic Version**

Super Flat Design



Installation :



024

FLATIA

CEILING LIGHTING SYSTEM



NEW


025



LUCIA & FLATIA




Classic Version



Decorative Version



Installation



Uplight



Order options

SYSTEM POWER

14W
18W

COLOUR TEMPERATURE

3000K
4000K

COLOUR RENDERING INDEX

CRI 83

ILLUMINATION TYPE



HOUSING

Classic Version



Decorative Version



ACCESSORY




FLATIA 350



Light distribution for 3000K

14W 1400lm-1500lm




Order Information

FLATIA 350-14W 1400 Lm MODELS (With SAMSUNG LED)

Code	LED output	Module output	LED Power	System Power	CRI	CCT	BEAM
FLATIA 350-14W-830	1900 lm	1400 lm	12 W	14 W	83	3000K	90°
FLATIA 350-14W-840	2000 lm	1500 lm	12 W	14 W	83	4000K	90°

18W 2000lm-2200lm



Order Information

FLATIA 350-18W 2000 Lm MODELS (With SANSUNG LED)

Code	LED output	Module output	LED Power	System Power	CRI	CCT	BEAM
FLATIA 350-18W-830	2600 lm	2000 lm	16 W	18 W	83	3000K	90°
FLATIA 350-18W-840	2800 lm	2200 lm	16 W	18 W	83	4000K	90°

Order options

SYSTEM POWER

18W
26W

COLOUR TEMPERATURE

3000K
4000K

COLOUR RENDERING INDEX

CRI 83

ILLUMINATION TYPE



HOUSING

Classic Version



Decorative Version



ACCESSORY




FLATIA 450



Light distribution for 3000K

18W 2000lm-2200lm




Order Information

FLATIA 450-18W 2200 Lm MODELS (With SANSUNG LED)

Code	LED output	Module output	LED Power	System Power	CRI	CCT	BEAM
FLATIA 450-18W-830	2900 lm	2200 lm	16 W	18 W	83	3000K	90°
FLATIA 450-18W-840	3100 lm	2400 lm	16 W	18 W	83	4000K	90°

26W 3000lm-3200lm



Order Information

FLATIA 450-26W 3000 Lm MODELS (With SANSUNG LED)

Code	LED output	Module output	LED Power	System Power	CRI	CCT	BEAM
FLATIA 450-26W-830	4000 lm	3000 lm	24 W	26 W	83	3000K	90°
FLATIA 450-26W-840	4200 lm	3200 lm	24 W	26 W	83	4000K	90°

Order options

SYSTEM POWER

40W
50W

COLOUR TEMPERATURE

3000K
4000K

COLOUR RENDERING INDEX

CRI 83

ILLUMINATION TYPE



HOUSING

Classic Version



Decorative Version



ACCESSORY



Cable Suspension Rod Suspension Surface-mounted


FLATIA 600

3000K
(Standard)



Light distribution for 3000K

40W 4600lm-4900lm




Order Information

FLATIA 600-40W 4600 Lm MODELS (With SANSUNG LED)

Code	LED output	Module output	LED Power	System Power	CRI	CCT	BEAM
FLATIA 600-40W-830	6100 lm	4600 lm	36 W	40 W	83	3000K	90°
FLATIA 600-40W-840	6400 lm	4900 lm	36 W	40 W	83	4000K	90°

50W 6000lm-6400lm



Order Information

FLATIA 600-50W 4600 Lm MODELS (With SANSUNG LED)

Code	LED output	Module output	LED Power	System Power	CRI	CCT	BEAM
FLATIA 600-50W-830	8000 lm	6000 lm	46 W	50 W	83	3000K	90°
FLATIA 600-50W-840	8400 lm	6400 lm	46 W	50 W	83	4000K	90°

Order options

SYSTEM POWER

68W

COLOUR TEMPERATURE

3000K
4000K

COLOUR RENDERING INDEX

CRI 83

ILLUMINATION TYPE



HOUSING

Classic Version



Decorative Version



ACCESSORY



Cable Suspension Rod Suspension Surface-mounted


FLATIA 900

3000K
(Standard)



Light distribution for 3000K

68W 7800lm-8200lm



Order Information

FLATIA 900-68W 7800 Lm MODELS (With SANSUNG LED)

Code	LED output	Module output	LED Power	System Power	CRI	CCT	BEAM
FLATIA 900-68W-830	10400 lm	7800 lm	65 W	68 W	83	3000K	90°
FLATIA 900-68W-840	10800 lm	8200 lm	65 W	68 W	83	4000K	90°